



# Durban Poison

Rising Roots

Certificate of Analysis

Date Received December 5, 2023

BioTrack ID:

Foreign Material Inspection

Material Cured Flower

2908 5324 4550 5687

Method HPLC


Flower Lot (Durban Poison)

Internal ID RSR 029

Sample collected by client

Moisture 5.07%

Passed Visual Inspection



### Abundant Terpenes

$\alpha$ -Pinene	0.04%	Terpinolene	<0.01%
Camphene	0.01%	Linalool	0.09%
$\beta$ -Pinene	0.06%	Isopulegol	<0.01%
Myrcene	0.30%	Geraniol	<0.01%
3-Carene	<0.01%	$\beta$ -Caryophyllene	0.50%
$\alpha$ -Terpinene	<0.01%	$\alpha$ -Humulene	0.22%
d-Limonene	0.36%	Nerolidol	0.05%
p-Cymene	<0.01%	Guaiol	0.10%
Ocimene	0.10%	$\alpha$ -Bisabolol	0.04%
$\gamma$ -Terpinene	<0.01%		

Total Terpenes

1.87%

Cannabinoid	mg/g sample	Method
$\Delta$ 9-THC	2.3	HPLC
$\Delta$ 9-THCa	266.7	HPLC
$\Delta$ 8-THC	<0.1	HPLC
CBD	<0.1	HPLC
CBDa	<0.1	HPLC
CBG	<0.1	HPLC
CBGa	17.4	HPLC
CBN	<0.1	HPLC
CBC	<0.1	HPLC
$\Delta$ 6a,10a-THC	<0.1	HPLC
$\Delta$ 10-THC	<0.1	HPLC
$\Delta$ 9-THCP	<0.1	HPLC
CBDV	<0.1	HPLC
<b>TOTAL</b>	<b>286.4</b>	<b>mg/g sample</b>

Total THC  
23.6%

Total CBD  
<0.01%

Total Cannabinoids  
28.6%

### Pesticides Analysis ( $\mu$ g/g sample)

Abamectin	<0.1	Paclobotrazol	<0.04
Acequinocyl	<2.0	Piperonyl butoxide	<3.0
Bifenazate	<0.2	Pyrethrins (Tot.)	<0.5
Bifenthrin	<0.1	Spinosyn A, D (Tot.)	<0.1
Etoxazole	<0.1	Spiromesifen	<0.1
Imazalil	<0.1	Spirotetramat	<0.1
Imidacloprid	<0.1	Trifloxystrobin	<0.02
Myclobutanil	<0.1	Other	<0.02

Passed Pesticide Analysis

### Residual Solvent Analysis Not Performed (\*\*)

Propane	**	Heptane	**
Butanes	**	EBZ & Xylenes	**
Pentanes	**	Methanol	**
Hexane	**	2-Propanol	**
Cyclohexane	**	Dichloromethane	**
Benzene	**	Acetone	**
Toluene	**	Ethanol	**

Microbial Screen (qPCR)	Result	Method
- <i>E. coli</i> (STEC)	PASS	via qPCR Analysis
- <i>A. niger</i>	PASS	via qPCR Analysis
- <i>A. flavus</i>	PASS	via qPCR Analysis
- <i>A. fumigatus</i>	PASS	via qPCR Analysis
- <i>A. terreus</i>	PASS	via qPCR Analysis
- <i>Salmonella</i>	PASS	via qPCR Analysis
- <i>P. aeruginosa</i>	**	Test Not Performed

Passed Microbial Analysis



Approved December 14, 2023

Results are non-transferable and valid for 90 days.

*Barry Dungan*  
Barry Dungan - CEO